

Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

SECTION 1: Identification of the substance/mixture and of the company/undertaking

1.1 Product identifier

Trade name: 6606 Osmo Gard Clean

1.2 Relevant identified uses of the substance or mixture and uses

advised against No further relevant information available.

Application of the substance / the

mixture Surface cleanser

Surface active agent

1.3 Details of the supplier of the safety data sheet

Manufacturer/Supplier: Osmo Holz und Color GmbH & Co. KG

Affhüppen Esch 12 D-48231 Warendorf

Further information obtainable

from: Product safety department

Phone: +49 (0) 251 / 692 - 188 Fax: +49 (0) 251 / 692 - 462 e-mail: helmut.starp@osmo.de

1.4 Emergency telephone

number: emergency phone no. Berlin (24h): +49 (0) 30 / 30686 790 advisory service in German

and English

SECTION 2: Hazards identification

2.1 Classification of the substance or mixture

Classification according to Regulation (EC) No 1272/2008

Met. Corr.1 H290 May be corrosive to metals.

Skin Corr. 1B H314 Causes severe skin burns and eye damage.

Eye Dam. 1 H318 Causes serious eye damage. Aquatic Acute 1 H400 Very toxic to aquatic life.

Aquatic Chronic 1 H410 Very toxic to aquatic life with long lasting effects.

Classification according to Directive 67/548/EEC or Directive 1999/45/EC

Xi: Irritant

R36/38: Irritating to eyes and skin.

N; Dangerous for the environment

iv, Dangerous for the environment

R50: Very toxic to aquatic organisms.

Information concerning

particular hazards for human and

environment: The product has to be labelled due to the calculation procedure of the "General

Classification guideline for preparations of the EU" in the latest valid version.

(Contd. on page 2)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 1)

Classification system: The classification is according to the latest editions of the EU-lists and extended by

company and literature data.

2.2 Label elements

Labelling according to Regulation

(EC) No 1272/2008 The product is classified and labelled according to the CLP regulation.

Hazard pictograms

1205 CH20

GHS05 GHS09

Danger

Signal word

Hazard-determining components

of labelling: Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Hazard statements H290 May be corrosive to metals.

H314 Causes severe skin burns and eye damage.

H410 Very toxic to aquatic life with long lasting effects.

Precautionary statements P101 If medical advice is needed, have product container or label at hand.

P102 Keep out of reach of children.

P260 Do not breathe spray.

P280 Wear protective gloves / eye protection.
P273 Avoid release to the environment.
P302+P352 IF ON SKIN: Wash with plenty of water.

P305+P351+P338 If in eyes: Rinse cautiously with water for several minutes. Remove

contact lenses, if present and easy to do. Continue rinsing.

P501 Dispose of contents/container in accordance with local/regional/

national/international regulations.

Additional information: Protect metals (e.g. metal fittings) and plants from direct contact (cover up plants with

protective foil).

Observe the general safety regulations when handling chemicals.

To avoid risks to human health and the environment, comply with the instructions for

use.

2.3 Other hazards

Results of PBT and vPvB assessment

PBT: Not applicable.*vPvB*: Not applicable.

SECTION 3: Composition/information on ingredients

3.2 Mixtures

Description: Mixture of substances listed below with nonhazardous additions.

(Contd. on page 3)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 2)

Dangerous compone	ents:	
CAS: 68424-85-1	Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides	5-<10%
EINECS: 270-325-2	C R34; ★ Xn R21/22; ₩ N R50	
	Skin Corr. 1B, H314; Aquatic Acute 1, H400 (M=10); Acute Tox. 4, H302; Acute Tox. 4, H312	_
CAS: 162063-19-6	C13-C15 Oxalalkoholethersulfat, Na-Salz	1-≤2.5%
NLP: 500-675-6	Xi R36/38	
	Skin Irrit. 2, H315; Eye Irrit. 2, H319	
Regulation (EC) No	648/2004 on detergents / Labelling for contents	
cationic surfactants		5 - 15%
anionic surfactants		< 5%

SECTION 4: First aid measures

Additional information:

4.1 Description of first aid measures

General information: Immediately remove any clothing soiled by the product.

After inhalation: In case of unconsciousness place patient stably in side position for transportation.

After skin contact: Immediately wash with water and soap and rinse thoroughly.

Immediately remove any clothing soiled by the product.

For the wording of the listed risk phrases refer to section 16.

After eye contact: Rinse opened eye for several minutes under running water. If symptoms persist, consult

a doctor.

After swallowing: If swallowed, seek medical advice immediately and show this container or label.

4.2 Most important symptoms and

effects, both acute and delayed No further relevant information available.

4.3 Indication of any immediate medical attention and special

treatment needed No further relevant information available.

SECTION 5: Firefighting measures

5.1 Extinguishing media

Suitable extinguishing agents: CO2, powder or water spray. Fight larger fires with water spray or alcohol resistant

foam.

5.2 Special hazards arising from

the substance or mixture No further relevant information available.

5.3 Advice for firefighters

Protective equipment: No special measures required.

(Contd. on page 4)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 3)

SECTION 6: Accidental release measures

6.1 Personal precautions, protective equipment and

emergency procedures Not required.

6.2 Environmental precautions: Inform respective authorities in case of seepage into water course or sewage system.

Dilute with plenty of water.

Do not allow to enter sewers/ surface or ground water.

6.3 Methods and material for

containment and cleaning up: Absorb with liquid-binding material (sand, diatomite, acid binders, universal binders).

Ensure adequate ventilation.

6.4 Reference to other sections See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

SECTION 7: Handling and storage

7.1 Precautions for safe handling Keep receptacles tightly sealed.

Ensure good ventilation/exhaustion at the workplace.

Prevent formation of aerosols.

Information about fire - and

explosion protection: No special measures required.

7.2 Conditions for safe storage, including any incompatibilities

Storage:

Requirements to be met by

storerooms and receptacles: No special requirements.

Information about storage in one

common storage facility: Not required.

Further information about

storage conditions: Protect from frost.

Keep container tightly sealed.

Storage class: 8 B

7.3 Specific end use(s) No further relevant information available.

SECTION 8: Exposure controls/personal protection

Additional information about

design of technical facilities: No further data; see item 7.

(Contd. on page 5)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 4)

8.1 Control parameters

Ingredients with limit values that require monitoring at the

workplace: The product does not contain any relevant quantities of materials with critical values

that have to be monitored at the workplace.

Additional information: The lists valid during the making were used as basis.

8.2 Exposure controls

Personal protective equipment: General protective and hygienic

measures: Do not eat, drink, smoke or sniff while working.

Do not carry product impregnated cleaning cloths in trouser pockets.

Keep away from foodstuffs, beverages and feed.

Immediately remove all soiled and contaminated clothing

Avoid contact with the eyes and skin. Do not inhale gases / fumes / aerosols.

Respiratory protection: Use suitable respiratory protective device only when aerosol or mist is formed.

Protection of hands: Protective gloves

The glove material has to be impermeable and resistant to the product/ the substance/

the preparation.

Selection of the glove material on consideration of the penetration times, rates of

diffusion and the degradation

Material of gloves The selection of the suitable gloves does not only depend on the material, but also on

further marks of quality and varies from manufacturer to manufacturer. As the product is a preparation of several substances, the resistance of the glove material can not be

calculated in advance and has therefore to be checked prior to the application.

Penetration time of glove material The exact break trough time has to be found out by the manufacturer of the protective

gloves and has to be observed.

For the permanent contact gloves made of the following materials

are suitable: Nitrile rubber, NBR

Recommended thickness of the material: $\geq 0.5 \text{ mm}$

For the mixture of chemicals mentioned below the penetration time has to be at least

480 minutes (Permeation according to EN 374 Part 3: Level 6).

Eye protection: Tightly sealed goggles

SECTION 9: Physical and chemical properties

9.1 Information on basic physical and chemical properties

General Information

Appearance:

Form: Fluid Colour: Green

(Contd. on page 6)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

	(Contd. of page
Odour:	Mild
pH-value at 20 °C:	7 - 8
Change in condition	
Melting point/Melting range:	Undetermined.
Boiling point/Boiling range:	100 °C
Flash point:	Not applicable.
Self-igniting:	Product is not selfigniting.
Danger of explosion:	Product does not present an explosion hazard.
Vapour pressure at 20 °C:	23 hPa
Density at 20 °C:	0.999 g/cm³
Solubility in / Miscibility with	
water:	Fully miscible.
Viscosity:	
Dynamic:	Not determined.
Kinematic:	Not determined.
Solvent content:	
VOC (EC)	Not applicable.
9.2 Other information	No further relevant information available.

SECTION 10: Stability and reactivity

10.1 Reactivity

10.2 Chemical stability

Thermal decomposition /

conditions to be avoided:

No decomposition if used according to specifications.

10.3 Possibility of hazardous

reactions

No dangerous reactions known.

10.4 Conditions to avoid No further relevant information available. 10.5 Incompatible materials: No further relevant information available.

10.6 Hazardous decomposition

products:

(Contd. on page 7)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 6)

SECTION 11: Toxicological information

11.1 Information on toxicological effects

Acute toxicity:

LD/LC50 values relevant for classification:

68424-85-1 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

Oral LD50 600 mg/kg (rat)
Dermal LD50 1560 mg/kg (rat)

Primary irritant effect:

on the skin: Caustic effect on skin and mucous membranes.

on the eye: Strong caustic effect.

Sensitisation: No sensitising effects known.

Additional toxicological

information: The product shows the following dangers according to the calculation method of the

General EU Classification Guidelines for Preparations as issued in the latest version:

Irritant

SECTION 12: Ecological information

12.1 Toxicity

4	. •		•	• .
Aqu	atic	tor		7711
лии	uuu	$\iota \cup \lambda$	u	uv.

68424-85-1 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

IC50 / 72h | 0.02 mg/l (selenastrum capricornutum)

EC50 / 48h | 0.016 mg/l (daphnia)

LC50 / 96h 0.85 mg/l (Oncorhynchus mykiss (Regenbogenforelle))

12.2 Persistence and degradability No further relevant information available.

12.3 Bioaccumulative potential No further relevant information available.12.4 Mobility in soil No further relevant information available.

Ecotoxical effects:

Remark: Das in dieser Zubereitung enthaltene Tensid erfüllt (Die in dieser Zubereitung

enthaltenen Tenside erfüllen) die Bedingungen der biologischen Abbaubarkeit wie sie in der Verordnung (EG) Nr. 648/2004 über Detergenzien festgelegt sind. Unterlagen, die dies bestätigen, werden für die zuständigen Behörden der Mitgliedsstaaten bereit gehalten und nur diesen entweder auf ihre direkte oder auf Bitte eines

Detergentienherstellers hin zur Verfügung gestellt.

Additional ecological information:

General notes: Very toxic for aquatic organisms

Water hazard class 2 (German Regulation) (Self-assessment): hazardous for water

Danger to drinking water if even small quantities leak into the ground.

12.5 Results of PBT and vPvB assessment

PBT: Not applicable.

(Contd. on page 8)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 7)

vPvB: Not applicable.

No further relevant information available. 12.6 Other adverse effects

SECTION 13: Disposal considerations

13.1 Waste treatment methods

Recommendation Must not be disposed together with household garbage. Do not allow product to reach

sewage system.

European waste catalogue 07 06 01* aqueous washing liquids and mother liquors 15 01 10* packaging containing residues of or contaminated by dangerous substances

Uncleaned packaging:

Recommendation: Disposal must be made according to official regulations. Recommended cleansing agents: Water, if necessary together with cleansing agents.

SECTION 14: Transport information

14.1 UN-Number			
ADR, IMDG, IATA	UN3082		
14.2 UN proper shipping name			
ADR	3082 ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID		
	N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-		
	alkyldimethyl, chlorides)		
IMDG	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID		
	N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-		
	alkyldimethyl, chlorides), MARINE POLLUTANT		
IATA	ENVIRONMENTALLY HAZARDOUS SUBSTANCE, LIQUID		
	N.O.S. (Quaternary ammonium compounds, benzyl-C12-16-		
	alkyldimethyl, chlorides)		
14.3 Transport hazard class(es)			
ADR			
Class	9 (M6) Miscellaneous dangerous substances and articles.		
Label	9		
IMDG, IATA			
Class	9 Miscellaneous dangerous substances and articles.		
Label	9		
	(Contd. on page 9		



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

	Trade name:	6606	Osmo	Gard	Clean
--	-------------	------	------	------	-------

	(Contd. of page		
14.4 Packing group			
ADR, IMDG, IATA	III		
14.5 Environmental hazards:	Product contains environmentally hazardous substances: Quaternal ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides		
Marine pollutant:	Yes		
•	Symbol (fish and tree)		
Special marking (ADR):	Symbol (fish and tree)		
Special marking (IATA):	Symbol (fish and tree)		
14.6 Special precautions for user	Warning: Miscellaneous dangerous substances and articles.		
Danger code (Kemler):	90		
EMS Number:	F-A,S-F		
14.7 Transport in bulk according to Anne	ex II of		
MARPOL73/78 and the IBC Code	Not applicable.		
Transport/Additional information:			
ADR			
Limited quantities (LQ)	5L		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 ml		
Transport category	3		
Tunnel restriction code	E		
IMDG			
Limited quantities (LQ)	5L		
Excepted quantities (EQ)	Code: E1		
	Maximum net quantity per inner packaging: 30 ml		
	Maximum net quantity per outer packaging: 1000 ml		
UN "Model Regulation":	UN3082, ENVIRONMENTALLY HAZARDOUS SUBSTANC		
	LIQUID, N.O.S. (Quaternary ammonium compounds, benzyl-C12-1 alkyldimethyl, chlorides), 9, III		

SECTION 15: Regulatory information

15.1 Safety, health and environmental regulations/legislation specific for the substance or mixture

National regulations:

Marking in acc	ordance with	biocide guid	leline 98/8/EG
----------------	--------------	--------------	----------------

68424-85-1 Quaternary ammonium compounds, benzyl-C12-16-alkyldimethyl, chlorides

95.0 g/kg

(Contd. on page 10)



Printing date 11.02.2015 Version number 12 Revision: 11.02.2015

Trade name: 6606 Osmo Gard Clean

(Contd. of page 9)

15.2 Chemical safety assessment: A Chemical Safety Assessment has not been carried out.

SECTION 16: Other information

This information is based on our present knowledge. However, this shall not constitute a guarantee for any specific product features and shall not establish a legally valid contractual relationship.

Relevant phrases H302 Harmful if swallowed.

H312 Harmful in contact with skin.

H314 Causes severe skin burns and eye damage.

H315 Causes skin irritation.

H319 Causes serious eye irritation.H400 Very toxic to aquatic life.

R21/22 Harmful in contact with skin and if swallowed.

R34 Causes burns.

R36/38 Irritating to eyes and skin.R50 Very toxic to aquatic organisms.

Department issuing MSDS: product safety department

Contact: Hr. Dr. Starp

Abbreviations and acronyms: RID: Règlement international concernant le transport des marchandises dangereuses par chemin de fer

(Regulations Concerning the International Transport of Dangerous Goods by Rail)

 $IATA-DGR: Dangerous\ Goods\ Regulations\ by\ the\ "International\ Air\ Transport\ Association"\ (IATA)$

ICAO: International Civil Aviation Organisation

ICAO-TI: Technical Instructions by the "International Civil Aviation Organisation" (ICAO)

ADR: Accord européen sur le transport des marchandises dangereuses par Route (European Agreement

concerning the International Carriage of Dangerous Goods by Road)

IMDG: International Maritime Code for Dangerous Goods

IATA: International Air Transport Association

GHS: Globally Harmonised System of Classification and Labelling of Chemicals EINECS: European Inventory of Existing Commercial Chemical Substances

ELINCS: European List of Notified Chemical Substances

CAS: Chemical Abstracts Service (division of the American Chemical Society)

VOC: Volatile Organic Compounds (USA, EU) LC50: Lethal concentration, 50 percent

LD50: Lethal dose, 50 percent

Met. Corr.1: Corrosive to metals, Hazard Category 1 Acute Tox. 4: Acute toxicity, Hazard Category 4

Skin Corr. 1B: Skin corrosion/irritation, Hazard Category 1B Skin Irrit. 2: Skin corrosion/irritation, Hazard Category 2 Eye Dam. 1: Serious eye damage/eye irritation, Hazard Category 1 Eye Irrit. 2: Serious eye damage/eye irritation, Hazard Category 2

Aquatic Acute 1: Hazardous to the aquatic environment - AcuteHazard, Category 1 Aquatic Chronic 1: Hazardous to the aquatic environment - Chronic Hazard, Category 1

GE